EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|---------------------|
| L1 | 0 | (stereoscopic or stereoscope) and setting adj depth adj information and (two- dimensional\$1 or two adj dimensional\$1) and graphic adj data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:08 |
| L2 | 157 | (stereoscopic or stereoscope) and depth and(two- dimensional\$1 or two adj dimensional\$1)and graphic adj data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:09 |
| L3 | 133 | L2 and(@ad<"20020829" or @rlad< "20020829" or @prad<"20020829" or @ptad<"20020829") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:22 |
| L4 | 0 | L3 and editing adj unit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:23 |
| L5 | 13 | L3 and editing | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:23 |
| L6 | 0 | L5 and assigning and depth and quantitative adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:24 |
| L7 | 0 | L5 and depth and quantitative adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:25 |
| L8 | 0 | L5 and depth and quantitative adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:25 |
| L9 | 13 | L5 and depth and values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:25 |

| L10 | 13 | L9 and display\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:26 |
|-----|-----|--|---|----|----|---------------------|
| L11 | 9 | L10 and @ad< "20020829" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:26 |
| L12 | 133 | L3 and (object or circle or triangle or rectangle) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:33 |
| L13 | 133 | L12 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:34 |
| L14 | 16 | L13 and assign\$3 and depth adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:35 |
| L15 | 16 | L14 and display\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:35 |
| L16 | 16 | L15 and(@ad<"20020829" or @riad<"20020829" or @prad<"20020829" or @ptad<"20020829") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:35 |
| L17 | 16 | L16 and(object or circle or triangle or rectangle) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:36 |
| L18 | 0 | L17 and editing adj unit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:36 |
| L19 | 16 | L17 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and(graphic adj data or figure adj data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | OR | ON | 2009/03/06 14:37 |

| L20 | 12 | L19 and @ad< "20020829" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:38 |
|-----|----|---|---|----|----|---------------------|
| L21 | 12 | L20 and(@ad< "20020829" or @rlad< "20020829" or @prad< "20020829" or @ptad< "20020829") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:39 |
| L22 | 9 | (stereoscopic or stereoscope) and depth and(two- dimensional\$1 or two adj dimensional\$1)and figure adj data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:52 |
| L23 | 5 | L22 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:52 |
| L25 | 0 | L23 and editing | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:53 |
| L26 | 4 | L22 and @ad< "20020829" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:53 |
| L27 | 4 | L26 and(object or circle or triangle or rectangle) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:53 |
| L28 | 0 | L27 and assign\$3 and depth adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:53 |
| L29 | 2 | L27 and assign\$3 and depth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:54 |
| L30 | 2 | L29 and display\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:54 |
| L31 | 11 | ((HIROAKI) near2 (ZAIMA)). INV. | US-PGPUB; USPAT | OR | ON | 2009/03/06 14:56 |

| L32 | 1 | L31 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and figure adj data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:56 |
|-----|-------|---|---|----|----|---------------------|
| L33 | 36621 | "382"/\$.cds. | USPAT | OR | ON | 2009/03/06 14:59 |
| L34 | 0 | L33 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and figure adj data | USPAT | OR | ON | 2009/03/06 14:59 |
| L35 | 205 | L33 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) | USPAT | OR | ON | 2009/03/06 14:59 |
| L36 | 5 | L35 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:01 |
| L37 | 4 | L36 and @ad< "20020829" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:01 |
| L38 | 0 | L37 and assign\$3 and depth adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:01 |
| L39 | 0 | 707/101,E17.998.181,104.1 E17.009,E17.008.cds. | USPAT | OR | ON | 2009/03/06 15:09 |
| L40 | 0 | 707/101,E17.998,181,104.1 E17.009,E17.008.cds. | USPAT | OR | ON | 2009/03/06 15:10 |
| L41 | 0 | 707/101,E17.998,181,104.1, E17.009,E17.008.cds. | USPAT | OR | ON | 2009/03/06 15:10 |
| L42 | 31671 | "707"/\$.cds. | USPAT | OR | ON | 2009/03/06 15:11 |
| L43 | 5 | L42 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic) | USPAT | OR | ON | 2009/03/06 15:14 |
| L44 | 4 | L43 and(@ad< "20020829" or @rlad< "20020829" or @prad< "20020829" or @ptad< "20020829") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | OR | ON | 2009/03/06 15:14 |

| L45 | 12 | L14 and @ad< "20020829" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:14 |
|-----|------|---|---|----|----|---------------------|
| L46 | 4 | L44 and @ad< "20020829" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:15 |
| L47 | 0 | L46 and assign\$3 and depth adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:15 |
| L48 | 0 | L46 and depth adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:15 |
| L49 | 817 | 700/87,181,86,87.ccls. | USPAT | OR | ON | 2009/03/06 15:18 |
| L50 | 0 | L49 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic) | USPAT | OR | ON | 2009/03/06 15:19 |
| L51 | 0 | L49 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic adj data) | USPAT | OR | ON | 2009/03/06 15:19 |
| L52 | 1292 | 369/30.04,116,30.04.cds. | USPAT | OR | ON | 2009/03/06 15:21 |
| L53 | 1 | L52 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic) | USPAT | OR | ON | 2009/03/06 15:22 |
| L54 | 0 | L49 and(stereoscopic or stereoscope) and(editing or modifying) and depth and(two- dimensional\$1) or two adj dimensional\$1)and(figure adj data or graphic adj data) | USPAT | OR | ON | 2009/03/06 15:26 |
| L55 | 47 | (stereoscopic or stereoscope) and(editing or modifying) and depth and(two-dimensional\$1 or two adj dimensional\$1) and (figure adj data or graphic adj data) | USPAT | OR | ON | 2009/03/06 15:26 |
| L56 | 47 | L55 and(object or circle or triangle or rectangle) | USPAT | OR | ON | 2009/03/06 15:27 |

| L57 | 4 | L56 and assign\$3 and depth adj values | USPAT | OR | ON | 2009/03/06 15:27 |
|-----|-------|---|---|----|----|---------------------|
| L58 | 3 | L57 and @ad<"20020829" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:27 |
| L59 | 48093 | "345"/\$.cds. | USPAT | OR | ON | 2009/03/06 15:38 |
| L60 | 278 | L59 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic) | USPAT | OR | ON | 2009/03/06 15:38 |
| L61 | 271 | L60 and(object or circle or triangle or rectangle) | USPAT | OR | ON | 2009/03/06 15:39 |
| L62 | 49 | L61 and assign\$3 and depth adj values | USPAT | OR | ON | 2009/03/06 15:39 |
| L63 | 9 | L62 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat) | USPAT | OR | ON | 2009/03/06 15:40 |
| L64 | 9 | L63 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829") | USPAT | OR | ON | 2009/03/06 15:40 |
| L65 | 8 | L63 and @ad< "20020829" | USPAT | OR | ON | 2009/03/06 15:41 |
| L66 | 8 | L65 and display\$3 | USPAT | OR | ON | 2009/03/06 15:41 |
| L67 | 80561 | "348"/\$.cds. | USPAT | OR | ON | 2009/03/06 15:49 |
| L68 | 80561 | "348"/\$.ccls. | USPAT | OR | ON | 2009/03/06 15:49 |
| L69 | 278 | iL68 and(stereoscopic or stereoscope) and depth and (two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic) | USPAT | OR | ON | 2009/03/06 15:49 |
| L70 | 275 | L69 and(object or circle or triangle or rectangle or polygon or still adj images or animat\$3 adj image\$1 or text or vector) | USPAT | OR | ON | 2009/03/06 15:51 |
| L71 | 34 | L70 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat) | USPAT | OR | ON | 2009/03/06 15:52 |

| L72 | 0 | L71 and(stereoscopic or stereoscope) and (editing or modifying) and disaplay\$3 and sensed and (left and right) same eye and depth and(two- dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic adj data) | USPAT | OR | ON | 2009/03/06 15:53 |
|-----|---|--|---|----|-----|---------------------|
| L73 | 0 | L71 and(stereoscopic or stereoscope) and disaplay\$3 and sensed and(left and right) same eye and depth and(two- dimensional\$1 or two adj dimensional\$1 and (figure adj data or graphic adj data) | USPAT | OR | ON | 2009/03/06 15:53 |
| L74 | 0 | L71 and(stereoscopic or stereoscope)and disaplay\$3 and sensed and(left and right) same eye and depth | USPAT | OR | ON | 2009/03/06 15:53 |
| L75 | 3 | L71 and(stereoscopic or stereoscope) and display\$3 and sensed and(left and right) same eye and depth | USPAT | OR | ON | 2009/03/06 15:54 |
| L76 | 3 | L71 and(stereoscopic or stereoscope) and (editing or modifying) and display\$3 and sensed and (left and right) same eye and depth and(two-dimensional\$1 or two adj dimensional\$1) and(figure adj data or graphic adj data) | USPAT | OR | ON | 2009/03/06 15:54 |
| L77 | 3 | L76 and(@ad<"20020829" or @rlad< "20020829" or @prad<"20020829" or @prad<"20020829") | USPAT | OR | ON | 2009/03/06 15:54 |
| L78 | 3 | L76 and @ad< "20020829" | USPAT | OR | ON | 2009/03/06 15:54 |
| L79 | | (("(5278946") or ("20060143020") or ("5037528") or ("4042866") or ("5537528") or ("54042866") or ("5537528") or ("5525201") or ("5631784") or ("5847898") or ("20050086681") or ("20050086681") or ("5453764") or ("5685782") or ("56859342") or ("5767846") or ("5685931") or ("563592") or ("6539592") or ("6539592") or ("66310584") or ("6649302") or ("6649302") or ("6649302") or ("6713952") or ("20040049626") or ("20040049626") or ("5341462") or ("6152298") or ("55341462") or ("6152298") or ("55341462") or ("6152298") or ("55341462") or ("6152298") or ("55341462") or ("6152298") or ("6152298") or ("6152298") or ("55341462") or ("6152298") or ("61525298") or ("61525298") or ("615 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/06 16:04 |

| L91 | 3 | L76 and @ad< "20020829" | USPAT | OR | ON | 2009/03/06 16:34 |
|-----|-----|--|---|----|----|---------------------|
| L90 | 1 3 | (depth adj information and depth and(two-dimensional\$1 or two adj dimensional\$1)and figure adj data).CLM. | US-PGPUB | OR | ON | 2009/03/06 |
| L86 | 3 | L84 and depth and values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 16:11 |
| L85 | 0 | L81 and assign\$3 adj depth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 16:10 |
| L84 | 3 | L31 and(object or circle or triangle or rectangle or polygon or still adj images or animat\$3 adj image\$1 or text or vector) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 16:10 |
| L83 | 0 | L81 and depth adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 16:09 |
| L82 | 0 | L81 and assign\$3 and depth adj values | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 16:09 |
| .81 | 3 | L80 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 16:08 |
| .80 | 3 | L71 and(stereoscopic or stereoscope) and display\$3 and sensed and(left and right) same eye and depth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 16:08 |
| | | ("200602e5649") or ("5367455") or ("5367455") or ("5367455") or ("54684947") or ("54684947") or ("4400977") or ("4458655") or ("456649") or ("4570790") or ("4586605") or ("4588081") or ("4773026") or ("4788424") or ("4835389") or ("4862439") or ("4945245") or ("4945245") or ("49415494") or ("4945245") or ("49494541") or ("1994441") or ("5197002") or ("),pn.")).PN. | | | | |

3/6/09 4:46:25 PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 6013.wsp